ENVIRONMENTAL

Fact Sheet



29 Hazen Drive, Concord, New Hampshire 03301 • (603) 271-3503 • www.des.nh.gov

WD-R&L-15 2019

Application of Shoreland Protections to Designated Rivers

When a river is designated into the New Hampshire Rivers Management and Protection Program (RMPP), the state offers an extra level of protection for significant instream river resources. Most of these protective measures are described in RSA 483, the law that describes the RMPP. A summary of these protections is available in fact sheet R&L-14, Protective Measures for Designated Rivers.

In addition to the protection measures described in the Rivers Management and Protection Program, designated rivers, with two exceptions, also fall under the jurisdiction of the Shoreland Water Quality Protection Act (SWQPA). The SWQPA applies to all of the larger rivers in New Hampshire that are 4th order or higher whether they are designated or not. However, the SWQPA also applies to smaller, designated rivers that are 1st, 2nd and 3rd order, with the exception of the 1st through 3rd order designated river segments in the Lamprey watershed and the 1st through 3rd order segments of the Oyster River.

For 1st, 2nd and 3rd order rivers designated BEFORE 2015, the SWQPA has jurisdiction within the full 250 feet of the protected shoreland. For 1st through 3rd order rivers designated AFTER 2015, however, the SWQPA has jurisdiction only within the 50 feet of protected shoreland closest to the reference line, also called the waterfront buffer.

Examples of how the Shoreland Act applies along 1st - 3rd order designated rivers. You want to:

- Build a house 70 feet from a 3rd order river designated BEFORE 2015: Shoreland permit is required.*
- Build a house 70 feet from a 3rd order river designated AFTER 2015 with no other impacts within 50 feet of the river: NOT within the jurisdiction of the Shoreland Program.
- Clear vegetation for a 5 foot wide path from your house to the banks of ANY 2nd order designated river: within the jurisdiction of the Shoreland Program,* but a permit is not required for this activity.
- Clear vegetation more than 50 feet but less than 150 feet from a 1st order river designated BEFORE 2015: native vegetation on at least 25% of the land in the 50 150 foot zone must remain unaltered.*
- Clear vegetation more than 50 feet but less than 150 feet from a 1st order river designated AFTER 2015:
 NOT within the jurisdiction of the Shoreland Program.
- * Not applicable to the 1st, 2nd and 3rd order portions of the Lamprey Watershed rivers and the Oyster River, as they are exempt from the SWQPA per RSA 483:15 I(b) and XVIII(b).

The following table summarizes how the SWQPA applies to 4th order and higher rivers, 1st through 3rd order streams designated before 2015, and 1st through 3rd order streams designated after 2015. Please refer to the Shoreland Water Quality Protection Act (<u>RSA 483-B</u>) and the Shoreland Rules (<u>Env-Wq 1400</u>) for a complete description of all SWQPA protection measures. Distances in the table below are from the reference line, which is defined as the ordinary high water mark for rivers.

APPLICATION OF THE SHORELAND WATER QUALITY PROTECTION ACT TO RIVERS		
Activities	All 4 th Order and Higher Rivers AND 1 st - 3 rd Order Rivers Designated BEFORE 2015*	1 st - 3 rd Order Rivers Designated AFTER 2015
Waste Disposal and Stor	age	
New Hazardous Waste Facilities	Rivers classified as Natural: None within ¼ mi. (RSA 483:9) All others: None within 250 ft.	Rivers classified as Natural: None within ¼ mi. (RSA 483:9) All others: None within 50 ft.
Sale of Waterfront	Waterfront Property Site Assessment	Waterfront Property Site Assessment
Property with Septic System (RSA 485-A:39)	Study of septic system required for sale of properties within 200 ft.	Study of septic system required for sale of properties within 200 ft.
New Auto Junk Yards or Salt Storage Yards	None within 250 ft.	None within 50 ft.
Fertilizer Application		
Slow or Controlled Release Fertilizer	None within 25 ft.	None within 25 ft.
All Other Fertilizers	None within 50 ft.	None within 50 ft.
Pesticide and Herbicide	Application	
All pesticides and herbicides	None within 50 ft. except with applicator license	None within 50 ft. except with applicator license
Development within 250	ft. of River	
Primary Structure	Setback 50 ft.	Setback 50 ft.
Accessory Structures	Setback 20 ft.	Setback 20 ft.
Impervious Surface Cover	Greater than 20% requires stormwater plan for Shoreland permit; Greater than 30% requires stormwater plan developed by engineer for permit.	Shoreland permit required for new impervious surface within 50 ft.
River Frontage	150 ft. minimum frontage for new lots	150 ft. minimum frontage for new lots
Land Disturbance (new or existing use)	Shoreland permit required for construction, excavation or fill within 250 ft. unless exempted in Env-Wq 1406.04. Alteration of Terrain permit also required if exceeding 50,000 sq. ft.	Shoreland permit required for construction, excavation or fill within 50 ft. unless exempted in Env-Wq 1406.04. Alteration of Terrain permit also required if exceeding 50,000 sq. ft.
Removal of Vegetation w	vithin Waterfront Buffer (0-50 ft.):	
Trees & Saplings	Limited within 50 ft.	Limited within 50 ft.
Natural Ground Cover & Shrubs	None within 50 ft. except 6 ft. path	None within 50 ft. except 6 ft. path
Stumps, Roots and Rocks	Permit required within 50 ft.	Permit required within 50 ft.
Removal of Vegetation w	vithin Woodland Buffer (50-150 ft.):	
Natural Woodland	Native vegetation on 25% of land between 50 and 150 ft. remains unaltered	Not within SWQPA jurisdiction

^{*}Not applicable to the 1^{st} , 2^{nd} and 3^{rd} order portions of the Lamprey Watershed rivers and the Oyster River, as they are exempt from the SWQPA per RSA 483:15 I(b) and XVIII(b).

For further information about the NH Rivers Management and Protection Program visit the NHDES website at http://www.des.state.nh.us/organization/divisions/water/wmb/rivers/, or contact the Rivers Coordinator, 29 Hazen Drive; PO Box 95; Concord, NH 03302-0095; (603) 271-2959; riversprogram@des.nh.gov.